




PRODUCT CATALOG

“Pallets and boxes for life”



600x400

DPP 0604 NL



NEW

OD - 4F - PR, SR, WO
 600 x 400 x 130 mm | PE 1.2 Kg
 500 Kg | 150 Kg | NA
 10560 | 2860 | 7800 | 9360 | 10296

DPP 0604 NL-C



NEW

CD - 4F - PR, SR, WO
 600 x 400 x 130 mm | PE 1.4 Kg
 500 Kg | 150 Kg | NA
 10560 | 2860 | 7800 | 9360 | 10296

DPP 0604 DS



NEW

OD - 4F - WO
 600 x 400 x 140 mm | PE 1.8 Kg
 750 Kg | 250 Kg | NA
 6760 | 2200 | 5800 | 6960 | 7656

DPP 0604 DS-C



NEW

CD - 4F - WO
 600 x 400 x 140 mm | PE 2.0 Kg
 750 Kg | 250 Kg | NA
 6760 | 2200 | 5800 | 6960 | 7656

800x600

DPP 0806 NL



NEW

OD - 6F - SR, WO
 800 x 600 x 130 mm | PE 2.3 Kg
 500 Kg | 250 Kg | NA
 5940 | 1646 | 4000 | 4800 | 5280

DPP 0806 NL-C



NEW

CD - 6F - SR, WO
 800 x 600 x 130 mm | PE 2.8 Kg
 500 Kg | 250 Kg | NA
 5940 | 1646 | 4000 | 4800 | 5280

DPP 0806 NS



NEW

OD - 6F - PR, SR, WO
 800 x 600 x 140 mm | PE 3 Kg
 2000 Kg | 750 Kg | NA
 4290 | 1249 | 3000 | 3600 | 3960

DPP 0806 NS-C



NEW

CD - 6F - PR, SR, WO
 800 x 600 x 140 mm | PE 3.5 Kg
 2000 Kg | 750 Kg | NA
 4290 | 1249 | 3000 | 3600 | 3960

DPP 0806 NS 9F



NEW

OD - 9F - PR, SR, WO
 800 x 600 x 140 mm | PE 3.3 Kg
 2000 Kg | 750 Kg | NA
 4290 | 1249 | 3000 | 3600 | 3960

DPP 0806 NS-C 9F



NEW

CD - 9F - PR, SR, WO
 800 x 600 x 140 mm | PE 3.8 Kg
 2000 Kg | 750 Kg | NA
 4290 | 1249 | 3000 | 3600 | 3960

DPP 0806 GP



NEW

CD - 3R - SR, WO, 22
 800 x 600 x 140 mm | PE 5.3 Kg
 1500 Kg | 500 Kg | NA
 1848 | 572 | 1276 | 1508 | 1654

DPP 0806 GW



NEW

OD - 3R - SR, WO, 22
 800 x 600 x 140 mm | PE 5 Kg
 1500 Kg | 500 Kg | NA
 1848 | 572 | 1276 | 1508 | 1654

DPP 0806 RT



NEW

OD - 3R - SR, WO, 22
 800 x 600 x 160 mm | PE 7.5 Kg
 2000 Kg | 750 Kg | 250 Kg
 1560 | 462 | 1058 | 1196 | 1380

DPP 0806 RP-C



NEW

OD - 3R - RPC
 800 x 600 x 160 mm | PE 7.5 Kg
 2000 Kg | 750 Kg | 250 Kg
 1560 | 462 | 1058 | 1196 | 1380

ESD / EX-PROOF

DPP 0806 NS



ESD

OD - 6F - PR, SR, WO
 800 x 600 x 140 mm | PE 3.3 Kg
 2000 Kg | 750 Kg | NA
 4290 | 1249 | 3000 | 3600 | 3960

DPP 0806 GW



ESD

OD - 3R - SR, WO, 22
 800 x 600 x 140 mm | PE 5.5 Kg
 1500 Kg | 500 Kg | NA
 1848 | 572 | 1276 | 1508 | 1654

DPP 1208 MP



ESD

CD - 3R - SR, WO
 1200 x 800 x 153 mm | PE 15 Kg
 4000 Kg | 1000 Kg | 750 Kg
 754 | 230 | 550 | 600 | 650

DPP 1208 NS



ESD

OD - 9F - PR, SR, WO
 1200 x 800 x 140 mm | PE 5.6 Kg
 2000 Kg | 1000 Kg | NA
 2145 | 627 | 1500 | 1800 | 1980

DPP 1210 NS



ESD

OD - 9F - PR, SR, WO
 1200 x 1000 x 140 mm | PE 6.8 Kg
 2000 Kg | 1000 Kg | NA
 1690 | 558 | 1320 | 1440 | 1560

DOLLY

ROLL DOLLY 0604



NEW

600 x 420 x 190 mm | PE 3.5 Kg
 200 Kg

ROLL DOLLY 0806



NEW

820 x 620 x 160 mm | PE 7 Kg
 200 Kg

IMPORTANT NOTES



ESD and Ex-Proof version available.

- Operating temperature range may differ according to raw material used.


- Loading capacity data are values based on ISO 8611 standards and with evenly distributed loads at 20°C. The data may vary based on customer specific use, raw materials used and environmental factors.

- Please refer to our sales team for more information.

GUIDANCE

PALLETS

Name



d :Dimension
 w :Weight
 dy :Dynamic
 st :Static
 r :Rack
 PR :Perimeter Rim
 SR :Standart Rim
 WO :Without Rim
 22 :22 mm Rim
 RPC :Rims for Foldable Crates
 OD :Opendeck
 CD :Closedeck
 CD-C :Closedeck with Coins
 4F :4 Feet
 6F :6 Feet
 9F :9 Feet
 2R :2 Runners
 3R :3 Runners
 5R :5 Runners
 3CR :3 Closed Runners
 l :Logistics

Truck | 20 ft | 40 ft | 40 ft | 45 ft
 (2,95) | HQ | PW HQ | PW HQ

BOXES

Name



d :Dimensions
 w :Weight
 dy :Dynamic
 st :Static
 v :Volume
 4F :4 Feet
 6F :6 Feet
 8F :8 Feet
 9F :9 Feet
 2R :2 Runners
 3R :3 Runners
 4W :4 Wheel
 fd :Folded Dimensions
 id :Inner Dimensions
 l :Logistics

Truck | 20 ft | 40 ft | 40 ft | 45 ft
 (2,95) | HQ | PW HQ | PW HQ

1200x800

DPP 1208 XE



OD - 9F - PR, WO
 1200 x 800 x 130 mm | PE 4.3 Kg
 1500 Kg | 400 Kg | NA
 2970 | 800 | 2000 | 2400 | 2640

DPP 1208 XE-P



CD - 9F - PR, WO
 1200 x 800 x 130 mm | PE 5.2 Kg
 1500 Kg | 400 Kg | NA
 2970 | 800 | 2000 | 2400 | 2640

DPP 1208 XW



OD - 9F - PR, WO
 1200 x 800 x 130 mm | PE 4.9 Kg
 2000 Kg | 700 Kg | NA
 2970 | 800 | 2000 | 2400 | 2640

DPP 1208 XW-P



CD - 9F - PR, WO
 1200 x 800 x 130 mm | PE 5.8 Kg
 2000 Kg | 700 Kg | NA
 2970 | 800 | 2000 | 2400 | 2640

DPP 1208 NS



NEW

OD - 9F - PR, SR, WO
 1200 x 800 x 140 mm | PE 5.1 Kg
 2000 Kg | 1000 Kg | NA
 2145 | 627 | 1500 | 1800 | 1980

DPP 1208 NS-C



NEW

CD - 9F - PR, SR, WO
 1200 x 800 x 140 mm | PE 6.3 Kg
 2000 Kg | 1000 Kg | NA
 2145 | 627 | 1500 | 1800 | 1980

DPP 1208 PJ



CD - 9F, WO
 1200 x 800 x 140 mm | PE 12.5 Kg
 4000 Kg | 1000 Kg | 400 Kg
 840 | 255 | 594 | 648 | 756

DPP 1208 WJ



OD - 9F, WO
 1200 x 800 x 140 mm | PE 11.7 Kg
 4000 Kg | 1000 Kg | 400 Kg
 840 | 255 | 594 | 648 | 756

DPP 1208 PS



CD - 2R - SR, WO
 1200 x 800 x 145 mm | PE 10.2 Kg
 3000 Kg | 1000 Kg | 400 Kg
 840 | 255 | 594 | 648 | 756

DPP 1208 AP



CDC - 3CR - SR, WO
 1200 x 800 x 144 mm | PE 11 Kg
 5000 Kg | 1000 Kg | 600 Kg
 754 | 230 | 550 | 600 | 650

DPP 1208 H1



OD - 3CR - SR, WO
 1200 x 800 x 160 mm | PE 18 Kg
 4800 Kg | 1200 Kg | 850 Kg
 588 | 230 | 462 | 504 | 546

DPP 1208 MW



OD - 3R - SR, WO
 1200 x 800 x 153 mm | PE 13 Kg
 4000 Kg | 1500 Kg | 900 Kg
 754 | 230 | 550 | 600 | 650

DPP 1208 MP



CD - 3R - SR, WO
 1200 x 800 x 153 mm | PE 13.5 Kg
 5000 Kg | 1500 Kg | 900 Kg
 754 | 230 | 550 | 600 | 650

DPP 1208 MP-P



CD - 3R - SR, WO
 1200 x 800 x 153 mm | PE 14.3 Kg
 5000 Kg | 2250 Kg | 1800 Kg
 754 | 230 | 550 | 600 | 650

DPP 1208 MP-M



CD - 3R - SR, WO
 1200 x 800 x 153 mm | PE 20.3 Kg
 5000 Kg | 2250 Kg | 1800 Kg
 754 | 230 | 550 | 600 | 650

DPP 1208 MW-P



OD - 3R - SR, WO
 1200 x 800 x 153 mm | PE 13.5 Kg
 5000 Kg | 1500 Kg | 900 Kg
 754 | 230 | 550 | 600 | 650

DPP 1208 MC-P



CDC - 3R - SR, WO
 1200 x 800 x 153 mm | PE 14.3 Kg
 5000 Kg | 1500 Kg | 900 Kg
 754 | 230 | 550 | 600 | 650

DPP 1208 MC-M



CDC - 3R - SR, WO
 1200 x 800 x 153 mm | PE 14.3 Kg
 5000 Kg | 1500 Kg | 900 Kg
 754 | 230 | 550 | 600 | 650

DPP 1208 MW-M



OD - 3R - SR, WO
 1200 x 800 x 153 mm | PE 13.5 Kg
 5000 Kg | 2250 Kg | 1800 Kg
 754 | 230 | 550 | 600 | 650

DPP 1208 HG 9F



CD - 9F - SR, WO
 1200 x 800 x 130 mm | PE 13.5 Kg
 5000 Kg | 1000 Kg | NA
 840 | 255 | 594 | 648 | 756

DPP 1208 HG 3S



CD - 3R - SR, WO
 1200 x 800 x 160 mm | PE 18 Kg
 5000 Kg | 1250 Kg | 1000 Kg
 754 | 230 | 550 | 600 | 650

1160x760

DPP 11676 NS



NEW

OD - 9F - SR, WO
 1160 x 760 x 140 mm | PE 4.7 Kg
 2000 Kg | 1000 Kg | NA
 2210 | 742 | 1800 | 1860 | 2100

DPP 11676 NS-C



NEW

CD - 9F - SR, WO
 1160 x 760 x 140 mm | PE 5.9 Kg
 2000 Kg | 1000 Kg | NA
 2210 | 742 | 1800 | 1860 | 2100

1160x800

DPP 11608 NS



NEW

OD - 9F - SR, WO
 1160 x 800 x 140 mm | PE 5 Kg
 2000 Kg | 1000 Kg | NA
 2210 | 742 | 1800 | 1800 | 1980

DPP 11608 NS-C



NEW

CD - 9F - SR, WO
 1160 x 800 x 140 mm | PE 6.2 Kg
 2000 Kg | 1000 Kg | NA
 2210 | 742 | 1800 | 1800 | 1980

NON-STOP PALLET

DPP 1208 MW NS



CD - 3R
 1200 x 800 x 177 mm | PE 18 Kg
 5000 Kg | 1500 Kg | 1000 Kg
 546 | 182 | 418 | 456 | 494

DPP 1210 MW-P NS



CD - 3R
 1200 x 1000 x 179 mm | PE 24 Kg
 5000 Kg | 1500 Kg | 1000 Kg
 462 | 148 | 342 | 380 | 418

DPP 1410 MP-M NS



CD - 3R
 1430 x 1000 x 179 mm | PE 36 Kg
 5000 Kg | 1500 Kg | 1000 Kg
 378 | 136 | 304 | 304 | 342

SPECIAL PROJECTS

DPP 1212 TK



OD - WO
 1200 x 1200 x 150 mm | PE 29 Kg
 5000 Kg | 1500 Kg | 1000 Kg
 418 | 120 | 300 | 320 | 352

1200x1000

DPP 1210 XE



OD - 9F - PR, WO
 1200 x 1000 x 130 mm | PE 5 Kg
 1500 Kg | 400 Kg | NA
 2340 | 700 | 1760 | 1920 | 2050

DPP 1210 XE-P



CD - 9F - PR, WO
 1200 x 1000 x 130 mm | PE 6.5 Kg
 1500 Kg | 400 Kg | NA
 2340 | 700 | 1760 | 1920 | 2050

DPP 1210 XW



OD - 9F - PR, WO
 1200 x 1000 x 130 mm | PE 5.5 Kg
 2000 Kg | 700 Kg | NA
 2340 | 700 | 1760 | 1920 | 2050

DPP 1210 XW-P



CD - 9F - PR, WO
 1200 x 1000 x 130 mm | PE 7.2 Kg
 2000 Kg | 700 Kg | NA
 2340 | 700 | 1760 | 1920 | 2050

DPP 1210 NS

NEW



OD - 9F - PR, SR, WO
 1200 x 1000 x 140 mm | PE 6.1 Kg
 2000 Kg | 1000 Kg | NA
 1690 | 558 | 1320 | 1440 | 1560

DPP 1210 NS-C

NEW



CD - 9F - PR, SR, WO
 1200 x 1000 x 140 mm | PE 7.8 Kg
 2000 Kg | 1000 Kg | NA
 1690 | 558 | 1320 | 1440 | 1560

DPP 1210 PJ



CD - 9F - WO
 1200 x 1000 x 140 mm | PE 14.5 Kg
 4000 Kg | 1000 Kg | 400 Kg
 660 | 233 | 540 | 540 | 594

DPP 1210 WJ



OD - 9F - WO
 1200 x 1000 x 140 mm | PE 13.5 Kg
 4000 Kg | 1000 Kg | 400 Kg
 660 | 233 | 540 | 540 | 594

DPP 1210 PS



CD - 2R - SR, WO
 1200 x 1000 x 145 mm | PE 12.2 Kg
 3000 Kg | 1000 Kg | 400 Kg
 660 | 233 | 540 | 540 | 594

DPP 1210 MW-P



OD - 3R - SR, WO
 1200 x 1000 x 155 mm | PE 16.5 Kg
 5000 Kg | 1500 Kg | 1000 Kg
 638 | 150 | 500 | 500 | 550

DPP 1210 MP-P



CD - 3R - SR, WO
 1200 x 1000 x 155 mm | PE 17.5 Kg
 5000 Kg | 1500 Kg | 1000 Kg
 638 | 150 | 500 | 500 | 550

DPP 1210 MC-P



CDC - 3R - SR, WO
 1200 x 1000 x 155 mm | PE 17.5 Kg
 5000 Kg | 1500 Kg | 1000 Kg
 638 | 150 | 500 | 500 | 550

DPP 1210 MW-P 5S



OD - 5R - SR, WO
 1200 x 1000 x 155 mm | PE 17.5 Kg
 5000 Kg | 1500 Kg | 1000 Kg
 635 | 150 | 500 | 500 | 550

DPP 1210 MP-P 5S



CD - 5R - SR, WO
 1200 x 1000 x 155 mm | PE 18.5 Kg
 5000 Kg | 1500 Kg | 1000 Kg
 638 | 150 | 500 | 500 | 550

DPP 1210 MW-M



OD - 3R - SR, WO
 1200 x 1000 x 155 mm | PE 22.5 Kg
 5000 Kg | 2250 Kg | 1800 Kg
 638 | 150 | 500 | 500 | 550

DPP 1210 MP-M



CD - 3R - SR, WO
 1200 x 1000 x 155 mm | PE 23.5 Kg
 5000 Kg | 2250 Kg | 1800 Kg
 638 | 150 | 500 | 500 | 550

DPP 1210 MC-M



CDC - 3R - SR, WO
 1200 x 1000 x 155 mm | PE 17.5 Kg
 5000 Kg | 1500 Kg | 1000 Kg
 638 | 150 | 500 | 500 | 550

DPP 1210 MW-M 5S



OD - 5R - SR, WO
 1200 x 1000 x 155 mm | PE 23.5 Kg
 5000 Kg | 2250 Kg | 1800 Kg
 494 | 140 | 352 | 384 | 416

DPP 1210 MP-M 5S



CD - 5R - SR, WO
 1200 x 1000 x 155 mm | PE 24.5 Kg
 5000 Kg | 2250 Kg | 1800 Kg
 494 | 140 | 352 | 384 | 416

DPP 1210 HG 9F



CD - 9F - SR, WO
 1200 x 1000 x 130 mm | PE 15.5 Kg
 5000 Kg | 1000 Kg | NA
 660 | 233 | 540 | 540 | 594

DPP 1210 HG 3S



CD - 3R - SR, WO
 1200 x 1000 x 160 mm | PE 21 Kg
 7500 Kg | 1250 Kg | 1000 Kg
 638 | 150 | 500 | 500 | 550

DPP 1210 HG 5S



CD - 5R - SR, WO
 1200 x 1000 x 160 mm | PE 22 Kg
 7500 Kg | 1250 Kg | 1000 Kg
 494 | 140 | 352 | 384 | 416

1160x1000

DPP 11610 NS

NEW



OD - 9F - SR, WO
 1160 x 1000 x 140 mm | PE 5.9 Kg
 2000 Kg | 1000 Kg | NA
 1690 | 530 | 1440 | 1440 | 1560

DPP 11610 NS-C

NEW



CD - 9F - SR, WO
 1160 x 1000 x 140 mm | PE 7.5 Kg
 2000 Kg | 1000 Kg | NA
 1690 | 530 | 1440 | 1440 | 1560

1100x1100

DPP 1111 NS



NEW

OD - 9F - PR - SR, WO
1100 x 1100 x 140 mm | PE 6.3 Kg
2000 Kg | 1000 Kg | NA
1560 | 530 | 1200 | 1200 | 1440

DPP 1111 NS-C



NEW

CD - 9F - PR - SR, WO
1100 x 1100 x 140 mm | PE 8 Kg
2000 Kg | 1000 Kg | NA
1560 | 530 | 1200 | 1200 | 1440

1140x1140

DPP 1114 NS



NEW

OD - 9F - PR - SR, WO
1140 x 1140 x 140 mm | PE 6.7 Kg
2000 Kg | 1000 Kg | NA
1430 | 530 | 1200 | 1260 | 1320

DPP 1114 NS-C



NEW

CD - 9F - PR - SR, WO
1140 x 1140 x 140 mm | PE 8.3 Kg
2000 Kg | 1000 Kg | NA
1430 | 530 | 1200 | 1260 | 1320

1200x1200

DPP 1212 NS



NEW

OD - 9F - PR - SR, WO
1200 x 1200 x 140 mm | PE 7.8 Kg
2000 Kg | 1000 Kg | NA
1430 | 332 | 1100 | 1200 | 1320

DPP 1212 NS-C



NEW

CD - 9F - PR - SR, WO
1200 x 1200 x 140 mm | PE 9.8 Kg
2000 Kg | 1000 Kg | NA
1430 | 332 | 1100 | 1200 | 1320

US SIZE

DPP 4048 NS



NEW

OD - 9F - PR - SR, WO
48 x 40 x 5.5 in | PE 6.3 Kg
2000 Kg | 1000 Kg | NA
1690 | 530 | 1200 | 1200 | 1320

DPP 4048 NS-C



NEW

CD - 9F - PR - SR, WO
48 x 40 x 5.5 in | PE 7.9 Kg
2000 Kg | 1000 Kg | NA
1690 | 530 | 1200 | 1200 | 1320

DPP 4848 NS



NEW

OD - 9F - PR - SR, WO
48 x 48 x 5.5 in | PE 8 Kg
2000 Kg | 1000 Kg | NA
1430 | 312 | 1100 | 1080 | 1120

DPP 4848 NS-C



NEW

CD - 9F - PR - SR, WO
48 x 48 x 5.5 in | PE 10 Kg
2000 Kg | 1000 Kg | NA
1430 | 312 | 1100 | 1080 | 1120

STANDARD RUNNER

DPR 110 NES LR



NEW

1100 x 90 x 20 mm | PE 0.5 Kg

DPR 114 NES LR



NEW

1140 x 90 x 20 mm | PE 0.5 Kg

DPR 116 NES LR



NEW

1160 x 90 x 20 mm | PE 0.5 Kg

DPR 120 NES LR



NEW

1200 x 90 x 20 mm | PE 0.6 Kg

DPR 48 NES LR



NEW

48 x 3.5 x 0.8 in | PE 0.6 Kg

DPR 120 X LR



1200 x 90 x 37 mm | PE 0.6 Kg

SUPER RUNNER

DPR 120 NES SR



NEW

1200 x 90 x 60 mm | PE 1.3 Kg

DPR 48 NES SR



NEW

48 x 3.5 x 2.4 in | PE 1.3 Kg

FULL RUNNER

DPR 1208 NES FL



NEW

1200 x 800 x 20 mm | PE 5.2 Kg

DPR 1210 NES FL



NEW

1200 x 1000 x 20 mm | PE 6.2 Kg

DPR 4048 NES FL



NEW

48 x 40 x 0.8 in | PE 6.3 Kg

PERIMETER RUNNER

DPR 1208 NES PR5



NEW

1200 x 800 x 20 mm | PE 2.6 Kg

DPR 1208 NES PR6



NEW

1200 x 800 x 20 mm | PE 2.8 Kg

DPR 1210 NES PR5



NEW

1200 x 1000 x 20 mm | PE 2.8 Kg

DPR 1210 NES PR6



NEW

1200 x 1000 x 20 mm | PE 3.1 Kg

DPR 4048 NES PR6



NEW

48 x 40 x 0.8 in | PE 3.2 Kg

FRAME

DPF 1208 NES PF



NEW

1200 x 800 x 20 mm | 2.6 Kg

DPF 1210 NES PF



NEW

1200 x 1000 x 20 mm | 3.1 Kg

DPF 4048 NES PF



NEW

48 x 40 x 0.8 in | 3.2 Kg

DPF 1208 NES FF



NEW

1200 x 800 x 20 mm | PE 5.2 Kg

DPF 1210 NES FF



NEW

1200 x 1000 x 20 mm | PE 6.2 Kg

DPF 4048 NES FF




NEW

48 x 40 x 0.8 in | PE 6.3 Kg


ACCESSORIES

DPP 1208 LID



1200 x 800 x 4.5 mm | PE 6.5 Kg

DPP 1210 LID



1200 x 1000 x 4.5 mm | PE 6.5 Kg

D-CAP NES



NEW

RUBBER



NEW

LARGE SIZE CONTAINER

D-KON OPTI-LOAD 121076 P



NEW

1200 x 1000 x 760 mm | PE 30.2 Kg
4000 Kg | 700 Kg | 625 lt
920 X 1120 X 610 mm
156 | 40 | 104 | 110 | 122

D-KON OPTI-LOAD 121076 C



NEW

1200 x 1000 x 760 mm | PE 32.2 Kg
4000 Kg | 700 Kg | 625 lt
920 X 1120 X 610 mm
156 | 40 | 104 | 110 | 122

D-KON OPTI-LOAD 121076 P FLAP



NEW

1200 x 1000 x 760 mm | PE 31.1 Kg
4000 Kg | 700 Kg | 625 lt
920 X 1120 X 610 mm
156 | 40 | 104 | 110 | 122

D-KON OPTI-LOAD 121076 C FLAP



NEW

1200 x 1000 x 760 mm | PE 33.4 Kg
4000 Kg | 700 Kg | 625 lt
920 X 1120 X 610 mm
156 | 40 | 104 | 110 | 122

D-KON OPTI-LOAD 121040 P



NEW

1200 x 1000 x 400 mm | PE 20.9 Kg
3000 Kg | 500 Kg | 260 lt
920 X 1120 X 250 mm

D-KON OPTI-LOAD 121040 C



NEW

1200 x 1000 x 400 mm | PE 21.9 Kg
3000 Kg | 500 Kg | 260 lt
920 X 1120 X 250 mm

D-KON OPTI-LOAD 121058 P



NEW

1200 x 1000 x 580 mm | PE 25.1 Kg
4000 Kg | 700 Kg | 450 lt
920 X 1120 X 430 mm
156 | 40 | 110 | 120 | 134

D-KON OPTI-LOAD 121058 C



NEW

1200 x 1000 x 580 mm | PE 26.6 Kg
4000 Kg | 700 Kg | 450 lt
920 X 1120 X 430 mm
156 | 40 | 110 | 120 | 134

D-KON 121076 P



1200 x 1000 x 760 mm | PE 34 Kg
4000 Kg | 700 Kg | 625 lt
920 X 1120 X 610 mm
156 | 40 | 104 | 110 | 122

D-KON 121076 C



1000 x 1200 x 760 mm | PE 36 Kg
4000 Kg | 700 Kg | 625 lt
920 X 1120 X 610 mm
156 | 40 | 104 | 110 | 122

D-KON 121085 P



1200 x 1000 x 850 mm | PE 36 Kg
4000 Kg | 700 Kg | 720 lt
920 X 1120 X 700 mm
130 | 30 | 88 | 96 | 104

D-KON 121085 C



1200 x 1000 x 850 mm | PE 38 Kg
4000 Kg | 700 Kg | 720 lt
920 X 1120 X 610 mm
130 | 30 | 88 | 96 | 104

FEET & RUNNER

4 FEET



6 FEET



+ 1.2 Kg

9 FEET



+ 3 Kg

2 RUNNERS



+ 3 Kg

3 RUNNERS



+ 5.5 Kg

ACCESSORIES

CENTER WHEEL



CORNER WHEEL



LID



DRAINAGE



MEDIUM DUTY LARGE SIZE CONTAINER

D-KON 2000 C



1020 x 640 x 550 mm | PE 11 Kg
1800 Kg | 250 Kg | 200 lt
590 X 950 X 395 mm
235 | 80 | 168 | 168 | 188

D-KON 2700 C



1020 x 670 x 660 mm | PE 12.7 Kg
1800 Kg | 250 Kg | 270 lt
590 X 950 X 515 mm
188 | 60 | 126 | 126 | 141

D-KON 3500



1200 x 800 x 580 mm | PE 19 Kg
2000 Kg | 300 Kg | 350 lt
720 X 1120 X 430 mm
170 | 35 | 100 | 120 | 234

D-KON 5500



1200 x 800 x 800 mm | PE 22.5 Kg
2000 Kg | 300 Kg | 550 lt
720 X 1120 X 650 mm
102 | 25 | 75 | 90 | 99



FOLD BOX

FOLD BOX 1210 P



1200 x 1000 x 800 mm | PE 41 Kg
 6000 Kg | 500 Kg | 670 lt
 1200 x 1000 x 290 mm
 920 x 1120 x 650 mm
 286 | 50 | 198 | 216 | 234

FOLD BOX 1210 C



1200 x 1000 x 800 mm | PE 42 Kg
 6000 Kg | 500 Kg | 670 lt
 1200 x 1000 x 290 mm
 920 x 1120 x 650 mm
 286 | 50 | 198 | 216 | 234

FOLD BOX 1212 P



1200 x 1200 x 800 mm | PE 44 Kg
 6000 Kg | 500 Kg | 820 lt
 1200 x 1200 x 290 mm
 1120 x 1120 x 650 mm
 242 | 66 | 170 | 180 | 198

FOLD BOX 1212 C




1200 x 1200 x 800 mm | PE 45 Kg
 6000 Kg | 500 Kg | 820 lt
 1200 x 1200 x 290 mm
 1120 x 1120 x 650 mm
 242 | 66 | 170 | 180 | 198




FEET & RUNNER

4 FEET



6 FEET



+ 1.5 Kg

2 RUNNER



+ 3 Kg

2 RUNNER + 2 FEET



+ 4.5 Kg

3 RUNNER



+ 6 Kg

FLC HERCULES

FLC HERCULES 1208-80



1200 x 800 x 800 mm | PE 38 Kg
 3000 Kg | 500 Kg | 510 lt
 1200 x 800 x 314 mm
 720 x 1120 x 630 mm
 297 | 112 | 200 | 240 | 264

FLC HERCULES 1208-95



1200 x 800 x 950 mm | PE 43 Kg
 3000 Kg | 500 Kg | 630 lt
 1200 x 800 x 314 mm
 720 x 1120 x 780 mm
 297 | 112 | 200 | 240 | 264

FLC HERCULES 1210-80



1200 x 1000 x 800 mm | PE 46 Kg
 5000 Kg | 500 Kg | 650 lt
 1200 x 1000 x 319 mm
 920 x 1120 x 635 mm
 234 | 88 | 176 | 192 | 208

FLC HERCULES 1210-975



1200 x 1000 x 975 mm | PE 53 Kg
 3000 Kg | 500 Kg | 825 lt
 1200 x 1000 x 319 mm
 920 x 1120 x 805 mm
 234 | 88 | 176 | 192 | 208



FEET & RUNNER

4 FEET



2 RUNNER




+ 3 Kg

2 RUNNER + 2 FEET




+ 4 Kg

3 RUNNER



+ 6 Kg

WHEELS



+ 4.5 Kg

LID & SHELF

DPP 1208 LID



1200 x 800 x 7 mm | PE 6.5 Kg

DPP 1210 LID



1200 x 1000 x 7 mm | PE 6.5 Kg

SHELF



PRODUCT LINE

PALLETS


NESTABLE



HEAVY DUTY



GENERAL PURPOSE



HYGENIC



NON STOP



ESD



BOXES

LARGE SIZE CONTAINER



FOLDABLE CONTAINER



FOLDABLE LARGE CONTAINER



ABOUT US

Doğan Plastik offers innovative and competitive solutions regarding packaging systems for "transportation and storage" to domestic and export companies in many sectors such as food, beverage, agriculture, automotive, chemistry, logistics, and textile with its products; Plastic pallets, foldable boxes, foldable large containers etc..

As 1 stop shop having one of the largest product portfolio in Europe, Doğan Plastik continues to offer better solutions to its customers.

Tarsus Headquarter/Factory
Kemalpaşa Mah. Ankara Blv. 2. km.
No:129/A 33470
Tarsus - TÜRKİYE
+90 324 636 3025

İstanbul Office
Yenişehir Mah.. Mustafa Akyol Sok..
No:7A-A. İç Kapı No:26.
34912 Pendik-İstanbul TÜRKİYE

Ankara Office
Park Cad.. 3350 Sok.. No:2/C4.
06810 Çankaya-Ankara TÜRKİYE

info@doganplastik.com

www.doganplastik.com



46
years of quality

